

**SYSTEMS**

MODEL	DESCRIPTION	EURO
<b>Sports Mobile Studio</b>	<p><b>TV Production Flightcase.</b> The system is composed of:</p> <p>Tricaster 860 + 860 CS (Newtek)            Tricaster 460 + 460 CS (Newtek)            Tricaster 850 TW (Newtek)            2x Smart Video HUB 16x16 (video matrix - Blackmagic Design)            2x ATEM studio converter 2 (4 optical fiber converters + intercom - Blackmagic)            Hyper Deck studio 2 (SSD recorder - Blackmagic Design)            Open gear 20 slot open frame (Blackmagic Design)            Open gear sync generator (Blackmagic Design)            Open gear SDI to Analog (Blackmagic Design)            Open gear Analog to SDI (Blackmagic Design)            Open gear Updown Cross (Blackmagic Design)            2x TV Monitor LED 32" Samsung VE32F500AVXXH            Monitors 20 "Fujitsu BV20T-6 with articulated arm            Kramer VM-1021 (1x20 equalized analog video distributor)            Audio Mixer Ultrazone ZMX8210 (Behringer)            2 speakers Bose Companion 2 Series 3            4 hard disk Seagate sata 3 6 gbit/s 2 TB 7200 RPM            Power Supply System (ELMAN)            2 Trackman MarbleTrackball (LOGITECH)            various wiring cables            2 drawers for items for rack the rack (one 2RU and one 3RU)            Flightcase with 6 wheels</p>	<b>63.000,00</b>
<b>O.B. Box Mini Advanced</b>	<p><b>Regia TV Mobile.</b>The system is composed of</p> <p>Tricaster Mini Advanced            Flightcase + Monitor            2x Blackmagic microconverter SDI TO HDMI            2x Blackmagic microconverter HDMI TO SDI            Cable reel 100mt HD SDI            Cable reel 50mt HD SDI            HDMI Wireless SWIT CW-H150 150mt</p>	<b>8.779,00</b>
<b>O.B. Box Tricaster TCXD450 Extreme</b>	<p><b>TV Production Flightcase.</b> The system is composed of:</p> <p>Elmanwood box 10RU            Tricaster 450 Extreme (NEWTEK)            Tricaster 450 CS (NEWTEK)            Ultrazone ZMX 8210 8 Channel Audio Mixer (BEHRINGER)            2 /4 Wires Genius Intercom (ELMAN)            4.3" Quad LCD monitor OSEE model RMS4342-HSC for HD/SD-SDI and analog signals;            19" LCD Monitor V193 (ACER)            ACK-595 Mini Keyboard (SUPERTRONIC)            Trackman MarbleTrackball (LOGITECH)            Power Supply System (ELMAN)            Damage free transportation case according to the IATA rules</p>	<b>35.200,00</b>
<b>O.B. Box Tricaster TCXD450</b>	<p><b>TV Production Flightcase.</b> The system is composed of:</p> <p>Elmanwood box 10RU            Tricaster 450 (NEWTEK)            Tricaster 450 CS (NEWTEK)            Ultrazone ZMX 8210 8 Channel Audio Mixer (BEHRINGER)            2 /4 Wires Genius Intercom (ELMAN)            4.3" Quad LCD monitor OSEE model RMS4342-HSC for HD/SD-SDI and analog signals;            19" LCD Monitor V193 (ACER)            ACK-595 Mini Keyboard (SUPERTRONIC)            Trackman MarbleTrackball (LOGITECH)            Power Supply System (ELMAN)            Damage free transportation case according to the IATA rules</p>	<b>32.200,00</b>
<b>O.B. Box Tricaster 40</b>	<p><b>TV Production Flightcase.</b> The system is composed of:</p> <p>Elmanwood box 10RU            Tricaster TCXD40 (NEWTEK)            Live control CS40 (NEWTEK)            Ultrazone ZMX 8210 8 Channel Audio Mixer (BEHRINGER)            2 /4 Wires Genius Intercom (ELMAN)            19" LCD Monitor V193 (ACER)            ACK-595 Mini Keyboard (SUPERTRONIC)            Trackman MarbleTrackball (LOGITECH)            Power Supply System (ELMAN)            Damage free transportation case according to the IATA rules</p>	<b>9.995,00</b>
<b>Blackmagic Design ATEM Studio BOX</b>	<p><b>TV Production Flightcase. The system is composed of:</b></p> <p>Cabinet/Cart 19" rack on wheels            Blackmagicdesign ATEM 1 M / E Production Mixer Multifunction            Intercom Elman TBP8 - talkback plus 8 inputs            2 beltpack for communication between two cameramen and director            2 handheld transmitters and receivers Sennheiser w-112-p g3</p>	<b>6.900,00</b>

	A headphones box to listen the audio of ATEM 1 M / E, is the cheapest option, on request we can also integrate the cart with a small audio mixer. Control panel power supply (ELMAN) Drawer for holding objects 4 rolls of 15 meters with XLR connectors for connection with 2 beltpack.	
<b>V.P. Box "Video Production Box"</b>	<b>TV Production Flightcase.</b> The system is composed of: Elmanwood box 10RU Triple LCD TFT MONITOR - one 10" and two 5.6" (ELMAN) 2 wires/4wires Intercom (ELMAN) Switcher/Distributor/Tally (ELMAN) Audio/Video Mixer SE500 (DATAVIDEO) Audio Mixer Behringer UB 1202 JVC SR-HD1250 combo deck recorder for Blu-Ray, DVD, HDD, SD card Power Supply System (ELMAN) 1RU Audio Monitor 3600VP (ELMAN) Gooseneck service light Damage free transportation case according to the IATA rules	<b>14.000,00 standard configuration</b>
<b>O.B. Box Genius 08</b>	<b>TV Production Flightcase.</b> The system is composed of: Triple 5.6" LCD TFT Monitor (MARSHALL V-R563P) Quad 4" LCD TFT MONITOR (ELMAN) 2 wires / 4 wires Intercom + audio amplifier and tally (ELMAN) Compact stereo speaker system with woofer (ELMAN) 4x1 Switcher/ 1x6 Distributor (ELMAN) 4 channels Audio/Video Mixer SE800 (Datavideo) JVC SR-HD1250 combo deck recorder for Blu-Ray, DVD, HDD, SD card 12 channels Audio Mixer Behringer XENYX 1202 AC/DC Power Distribution- Power supply system (ELMAN) Gooseneck service light Damage free transportation case according to the IATA rules	<b>22.222,22 standard configuration</b>
<b>VIDEO EQUIPMENT</b>		
<b>1SDI/A</b>	Single SDI to Analog Multistandard video converter	<b>580,00</b>
<b>4COMP2SDI</b>	Quad format video converter from analog composite video to SDI	<b>1.750,00</b>
<b>8x1 RS422</b>	8x1 RS422 Switcher	<b>750,00</b>
<b>8x4 digital SDI C/O</b>	8 x quad digital SDI changeover	<b>9.050,00</b>
<b>8RUXPWR5</b>	Box for Multiple 14V 0.75A power supply for PWR5-14V1A modules	<b>650,00</b>
<b>8SDI/A</b>	Octal SDI to Analog Multistandard video converter	<b>2.330,00</b>
<b>AVM168</b>	PAL/NTSC Video Matrix 16 x 8	<b>1.150,00</b>
<b>BETA93</b>	Beta/Beta Changeover	<b>1.015,00</b>
<b>CAV2SDI</b>	Format video converter from components analog video (Y-PB-PR) to SDI	<b>600,00</b>
<b>C/O SDI x 32 latched</b>	Change over x 32 SDI latched	<b>10.460,00</b>
<b>C/O SDI-KEY-DA</b>	Double Change Over SDI 2x2 + SDI to CVBS (analog composite) converter	<b>1.150,00</b>
<b>CO5SDI</b>	5 x Change Over for digital video signals SDI (switching unit)	<b>1.620,00</b>
<b>CO5SDI/RC</b>	Remote control for CO5SDI	<b>600,00</b>
<b>COSDIA</b>	Change Over Audio/Video 3 inputs (2 SDI + 1 Analog) output SDI	<b>2.200,00</b>
<b>Dual C/O RC</b>	Remote control for Double Change Over Video SDI	<b>285,00</b>
<b>Dual C/O VIDEO SDI</b>	Double Change Over Video SDI	<b>850,00</b>
<b>ED09</b>	High Brightness display for outside	<b>320,00</b>
<b>ED09P4</b>	Quad Power Supply for up to four ED09	<b>390,00</b>
<b>ED10</b>	Indoor High Brightness display	<b>310,00</b>
<b>EL2900</b>	Audio/Video Analogue Automatic Changeover with timer switcher	<b>850,00</b>
<b>GIMx6</b>	Video Signal Monitor Identification Generator	<b>1.830,00</b>
<b>GPI PRC</b>	Programmable GPI Remote Control	<b>950,00</b>
<b>GPI Repeater</b>	Repeater/Separator GPI 32 modules 1x3	<b>2.100,00</b>
<b>PWR5-14V1A</b>	Single module power supply with 6 14V 0.75A outputs for box 8RUXPWR5	<b>370,00</b>
<b>RCU-PTZ</b>	Remote Control for PTZ Videocameras (Pan-Tilt-Zoom)	<b>300,00</b>
<b>RCU-PTZ2</b>	Remote Control for PTZ Videocameras (Pan-Tilt-Zoom) with Telephone Interface	<b>390,00</b>
<b>RCU-PTZ Cable30</b>	Cable for connection between RCU-PTZ and PTZ Videocamera length 30 mt	<b>45,00</b>
<b>RCVC</b>	RCVC - PAL radio controlled video clock (DCF 77.5 KHz)	<b>1.500,00</b>
<b>RCVC/RC</b>	Remote Console Display for RCVC	<b>600,00</b>
<b>Remote PTZx4</b>	Remote control unit for 4 PTZ Canon VC or Sony VISCA videocameras	<b>850,00</b>
<b>Suitcase for TV commentator</b>	All that is necessary in a TV commentator location, contained in a suitcase	<b>7.900,00</b>
<b>Tally Matrix 12x12</b>	12x12 Matrix switcher for the addressing "on air" Tally signals	<b>1.400,00</b>
<b>TVI</b>	Timer video inserter HD/SD + Remote Control	<b>1.500,00</b>
<b>UP-DOWN Converter x9</b>	UP-DOWN Converter x9 - DOWN:HD SDI > SD SDI e CVBS (Pal/Ntsc) - UP:SD SDI > HD SDI	<b>6.390,00</b>
<b>VD1x8 SDI</b>	Digital video distribution amplifier 1x8	<b>430,00</b>
<b>VIT261</b>	Video Isolation Transformer and Hum Eliminator	<b>160,00</b>
<b>VLK4/FTB</b>	Quad linear key inserter with fade to black	<b>3.150,00</b>
<b>STAND ALONE VIDEO MODULES</b>		
<b>MODEL</b>	<b>DESCRIPTION</b>	<b>EURO</b>
<b>AVA C/O</b>	Audio/Video Analogue Automatic Changeover	<b>710,00</b>
<b>BBSD</b>	Black Burst Separator and Distributor video x 4 (PAL/NTSC)	<b>750,00</b>
<b>C/O VSDA</b>	Audio/Video Digital Serial Automatic Changeover	<b>850,00</b>
<b>Dual VED</b>	Dual VED - Dual CVBS video distribution amplifier 1x4 and 1x2	<b>500,00</b>

DVDA14	Digital video Distribution Amplifier SDI 1 x 4 with embedded power supply	420,00
DVB-T HD	DVB-T - Professional HD TV Tuner for digital terrestrial channels	600,00
EL1800 Plus	1x6 Video Distributor - Differential Input, Clamped, 3 Band Equalized	500,00
GVI 1224	Character and Color PAL Bars Generator for Video Identification	1.188,00
GVI SDI	Character and Color Bars Generator for identification of SDI Video Signal	1.000,00
VLK1/FTB-D	Linear Keyer & Program Fade with key insertion by manual or automatic transition (desk remote control)	1.355,00
VLK1/FTB-R	Linear Keyer & Program Fade with key insertion by manual or automatic transition (rack remote control + support)	1.500,00
VS61	Video Switcher 6 x 1 with control keypunch	850,00
VS62	Video Switcher 6 x 2 with control keypunch	1.190,00
TUTV	Analog Professional TV Tuner 1/3 of 19"/1 RU	365,00
TUTV/A	Power Supply AC/DC for TVTV with input and output 12 volt	50,00
TUTV/SDI	Analog Professional TV Tuner 1/3 of 19"/1 RU with SDI output	646,00
<b>1RU MULTIFUNCTION SYSTEM</b>		
<b>MODEL</b>	<b>DESCRIPTION</b>	<b>EURO</b>
RMA	Rack Mount Adapter for N° 3 stand alone modules with blind panel for RMA	135,00
<b>AUDIO EQUIPMENT</b>		
<b>MODEL</b>	<b>DESCRIPTION</b>	<b>EURO</b>
AD/4ST rack	1 x 4 Stereo Audio Distribution Module - Rack Version	460,00
AES/EBUx4	4 channels digital audio splitter	450,00
AITSV	Audio format converter balanced to unbalanced - 1:1 - 600 ohm	80,00
AS82	AS82 - Commutatore audio 8x2 1RU	580,00
Box Audio PC	2x1 Audio Switcher for PC Professional Audio Card with XLR connectors	290,00
COAUDIO 10X1	Change Over Audio Stereo 10x1	780,00
DA8AES	8 inputs AES/EBU audio D/A Converter	2.500,00
DDV	Digital Dolby VCA - Extract from SDI video (SD-HD-2K) audio Dolby 5 +1	1.450,00
DPPM	Dual Stereo Program Level & Phase Meter	755,00
EL2900	Audio/Video Analogue Automatic Changeover with timer switcher	850,00
EL3600	1 RU Stereo Monitor Meter	1.305,00
EL 3600/W	Stereo Monitor 1 RU with Woofer	1.170,00
PPM	Stereo Program Level & Phase Meter	560,00
SAS21	2x1 Stereo Audio Switcher with level and phase meter and 1x3 output distributor	1.200,00
STM	1 RU Stereo Monitor (without Meter)	900,00
TALKBACK PRODUCER	Talkback Producer - 16 channels intercom system	3.200,00
UAR	Unit for remote listening	1.990,00
VCAx2	VCA Level Controller for 2 lines (Voltage Controlled Amplifier)	585,00
VCAx6	VCA Level Controller for 6 lines (Voltage Controlled Amplifier)	735,00
<b>STAND ALONE AUDIO MODULES</b>		
<b>MODEL</b>	<b>DESCRIPTION</b>	<b>EURO</b>
AD/4ST	1 x 4 Stereo Audio Distribution Module	390,00
AIT1520	Audio Isolation Transformer - Frequency response: 15Hz-20KHz	77,00
AIT8020	Audio Isolation Transformer - Frequency response: 80Hz-20KHz	20,00
ASI	Audio Source Identification/Test Generator	1.165,00
AVA C/O	Audio/Video Analogue Automatic Changeover	710,00
PPM/SA	Stereo Peak & Phase Meter	500,00
SAS61	6 x 1 Stereo Audio Switcher	840,00
<b>TFT LCD MONITORS – UNIVERSAL POWER SUPPLY</b>		
<b>MODEL</b>	<b>DESCRIPTION</b>	<b>EURO</b>
DOUBLE 8.4"	Dual 8.4" Full Color PAL/NTSC LCD TFT 19" Rack Monitor Displays	1.650,00
DT8SDI	8" TFT desktop monitor Analog/SDI embedded	1.300,00
DUAL5HDSDI3G	Dual 5" rack monitor HD/SDI Embedded + 3G	2.500,00
DUAL 5.6"	Double 5.6" LCD Full Color Display 3Ru PAL/NTSC	1.500,00
DUAL 5.6" HD / SDI	Dual 5.6" monitor HD/SDI Embedded	4.500,00
DUAL 5.6" SDI AES	Monitor Dual 5.6" SDI AES TFT	2.100,00
LCD7SDIx12	Dual 7" TFT LED Monitor 12 SDI inputs / audio embedded and audio meters	2.500,00
LCD84	8.4" Rack mount monitor 4RU with 6 video input and 8 audio input	1.780,00
MC4	Monitor LCD Full Color 4" PAL/NTSC enclosed in case	390,00
MC4/A	Monitor/Viewfinder MC4 with ¼" ball head adapter	475,00
MC4/PS	Power supply for MC4 and MC4/A monitor	28,00
OFD 5.6"	OK Monitor 5.6" PAL/NTSC - Open Frame Kit	450,00
OFD 7"	OK Monitor 7" 16:9 PAL/NTSC – Open Frame Kit	510,00
QUAD 4"	Quadruple 4" LCD Full Color Display 3RU PAL/NTSC	1.100,00
ROCKY10	Portable Analog and Digital (DVB) LCD A/V 10" TV/Monitor with CVBS/SDI inputs	2.200,00
ROCKY III TV Tuner	Professional TV tuner module for Rocky III	900,00
ROCKY III HD	Carrying case with 5" LCD TFT LED backlight monitor with PAL/NTSC/HDSDI/SDI embedded inputs	1.300,00
TRIPLE 5.6"	Triple 5.6" LCD Full Color Display 3Ru PAL/NTSC	1.700,00
<b>19" FRAME RACK EQUIPMENT – COMMUNICATION</b>		
<b>MODEL</b>	<b>DESCRIPTION</b>	<b>EURO</b>
4WBB	4 Wires Beltpack Box - Beltpack terminal for 2/4 wires communications	315,00
AT8	8 lines telephone monitor for 8 return program with remote selection by phone	1.600,00
BHS	Beltpack Headset Station	190,00
BIA	Beltpack IFB Amplifier - Terminal for TV newscaster with speaker	270,00

<b>Bluetooth Box Reporter</b>	Belt Terminal for live interviews with high-quality audio transmitted by mobile phone via bluetooth interfaced	<b>822,00</b>
<b>Commentatorx6</b>	Commentary interface	<b>1.500,00</b>
<b>DTS61</b>	Telephone switcher for 12 lines (Double 6 x 1)	<b>680,00</b>
<b>DUAL GSM</b>	Like GAI but with double circuit, 2 audios on 2 different GSM channels	<b>1.950,00</b>
<b>DUAL TPB/E</b>	Dual Talkback Plus - Engineering Terminal	<b>2.900,00</b>
<b>DUAL TBP/P</b>	Dual Talkback Plus - Producer Terminal	<b>1.033,00</b>
<b>DUAL TBP/T</b>	Dual Talkback Plus - Technician Terminal	<b>1.033,00</b>
<b>EL4400/D</b>	Dual Channel Intercom with gooseneck microphone (dual semiduplex version)	<b>930,00</b>
<b>EL4400/E</b>	Dual Channel Intercom with gooseneck microphone	<b>835,00</b>
<b>EL4400/I</b>	Dual Channel Intercom with internal microphone	<b>835,00</b>
<b>EL4400/IC</b>	Single Channel Intercom with gooseneck microphone – console version	<b>1.336,00</b>
<b>EL4400/S</b>	Terminal Station for TBP10 Intercom	<b>835,00</b>
<b>Genius Intercom</b>	2 wires / 4 Wires Intercom (gooseneck microphone XLR included)	<b>1.200,00</b>
<b>HFX6</b>	HFX6 - handsfree x 6 intercom system	<b>6.460,00</b>
<b>TBP4</b>	4 Channels 2/4 wires compact intercom (1RU 19")	<b>850,00</b>
<b>TBP8</b>	8 Channels 2/4 wires compact intercom (1RU 19")	<b>1.610,00</b>
<b>TBP10</b>	10 Channels 4 wires intercom, full duplex, 4 wires, handsfree, IFB (1RU 19")	<b>2.000,00</b>
<b>TBP12</b>	12 Channels 2/4 wires compact intercom (2RU 19")	<b>2.200,00</b>
<b>TBP16</b>	16 Channels 4 wires intercom, full duplex, 4 wires, handsfree, IFB (2RU 19")	<b>3.200,00</b>
<b>TBU</b>	Telephone Balance Unit - interface 4 wires to telephone network	<b>315,00</b>
<b>GAI 1RU</b>	GSM Audio Interface (for transmit high quality audio by GSM net) 1RU	<b>1.300,00</b>
<b>GAI 1/3RU</b>	GSM Audio Interface 1/3 RU version for rack mount adapter RMA	<b>1.300,00</b>
<b>GAI PBB</b>	GAI Power Backup Box - suitcase with inside battery for 2 hrs of autonomy	<b>315,00</b>
<b>OE300</b>	Gooseneck microphone for intercom with XLR 3 pin connector	<b>70,00</b>
<b>PHM1</b>	Professional Headset Single Muff	<b>140,00</b>
<b>PHM2</b>	Professional Headset Double Muff	<b>170,00</b>
<b>RBB</b>	Radio Broadcast Box (new composition: LCD 15"monitor, FM radio with digital tuning, interconnection system between inside and external apparatuses, electric panel, BCA telephone, Mixer/Codec Zephyr Xport (ISDN), GAI GSM, headphone Sennheiser HMD25/1	<b>7.158,00</b>
<b>TBP</b>	Talkback Plus - Instant Program 4 Wire Intercom	<b>2.500,00</b>
<b>TBP15C</b>	3 Twisted Pair Cable for connection between Talkback Plus and Beltpack (length 15mt.)	<b>23,00</b>
<b>TBP30C</b>	3 Twisted Pair Cable for connection between Talkback Plus and Beltpack (length 30 mt)	<b>36,00</b>
<b>TC5+</b>	DTMF telecontrol for remote posts - 5 on / off channels + 1 Power off channel + 1 temperature channel	<b>600,00</b>
<b>TCM</b>	Modular Commentator Terminal	<b>3.280,00</b>
<b>TLFC-2010</b>	News anchor telephone selector for news editors	<b>1.615,00</b>
<b>TLFC-CRR</b>	News editor controller for TLFC-2010	<b>1.045,00</b>

**Electronica Mangione - Via Clarice Marescotti, 15 - 00151 Rome (Italy)**

**Tel. +39 0665741287 - +39 0665797936 Fax +39 0665741291**

**WEB Site: <http://www.elman.it> - e-mail: [elman@elman.it](mailto:elman@elman.it)**