

RM Series Multi-Function Audio and Video Monitoring Racks		
	7.0" Size, 2 LCDS, 3RU Height, 16:10 Screen, 800x480 Resolution, 16.7M Colors	List Price (USD)
RM7023-V	<ul style="list-style-type: none"> . 3 Composite Inputs . 3 Composite Active Loop Through Output . 4 Analog Audio Inputs . 4 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Tri-color Tally Display . Safe Marker, Aspect Ratio and Blue Only Support 	\$1.759
RM7023-SDV	<ul style="list-style-type: none"> . 2 SD-SDI Inputs . 1 SD-SDI Active Loop Through Output . 3 Composite Inputs . 4 Analog Audio Inputs . 2 AES/EBU Inputs . Embedded Audio Support . 4 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Tri-color Tally Display . H/V Delay, Safe Marker, Aspect Ratio and Blue Only Support 	\$2.319
RM7023-HDSD	<ul style="list-style-type: none"> . 2 HD/SD-SDI Inputs . 1 HD/SD-SDI Active Loop Through Output . 4 Analog Audio Inputs . 2 AES/EBU Inputs . Embedded Audio Support . 4 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Tri-color Tally Display . H/V Delay, Safe Marker, Aspect Ratio and Blue Only Support 	\$2.699
RM7023-HDSDV	<ul style="list-style-type: none"> . 2 HD/SD-SDI Inputs . 1 HD/SD-SDI Active Loop Through Output . 3 Composite Inputs . 4 Analog Audio Inputs . 2 AES/EBU Inputs . Embedded Audio Support . 4 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Tri-color Tally Display . H/V Delay, Safe Marker, Aspect Ratio and Blue Only Support 	\$2.839
RMS Series Single-Interface LCD Racks		
	4.3" Size, 4 LCDS, 2RU Height, 16:9 Screen, 480x270 Resolution, 16.7M Colors	List Price (USD)
RMS4342-SC	<ul style="list-style-type: none"> . 1 Auto-Sensing SD-SDI and Analog Composite Input . 1 SD-SDI Active Loop Through Output . Embedded Audio Support . 4 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . ANC Time Code, in Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker and Blue Only Support . Waveform Monitor . Vectorscope 	\$2.079
RMS4342-HSC	<ul style="list-style-type: none"> . 1 Auto-Sensing HD/SD-SDI and Analog Composite Input . 1 HD/SD-SDI Active Loop Through Output . Embedded Audio Support . 8 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . ANC Time Code, In Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker, Aspect Ratio and Blue Only Support . Waveform Monitor . Vectorscope 	\$2.819

	5.7" Size, 3 LCDS, 3RU Height, 4:3 Screen, 640x480 Resolution, 262K Colors	List Price (USD)
RMS5733-SC	<ul style="list-style-type: none"> . 1 Auto-Sensing SD-SDI and Analog Composite Input . 1 SD-SDI Active Loop Through Output . Embedded Audio Support . Two Channel Analog Audio Inputs . Two Channel Analog Audio Loop Outs . 4 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . ANC Time Code, in Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe Marker and Blue Only Support . Waveform Monitor . Vectorscope 	\$2.599
RMS5733-HSC	<ul style="list-style-type: none"> . 1 Auto-Sensing HD/SD-SDI and Analog Composite Input . 1 HD/SD-SDI Active Loop Through Output . Embedded Audio Support . Two Channel Analog Audio Inputs . Two Channel Analog Audio Loop Outs . 8 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . ANC Time Code, In Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker, Aspect Ratio and Blue Only Support . Waveform Monitor . Vectorscope 	\$3.199
	7.0" Size, 2 LCDS, 3RU Height, 16:10 Screen, 800x480 Resolution, 16.7M Colors	List Price (USD)
RMS7023-SC	<ul style="list-style-type: none"> . 1 Auto-Sensing SD-SDI and Analog Composite Input . 1 SD-SDI Active Loop Through Output . Embedded Audio Support . Two Channel Analog Audio Inputs . Two Channel Analog Audio Loop Outs . 4 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Built-in Speaker . ANC Time Code, in Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker and Blue Only Support . Waveform Monitor . Vectorscope 	\$1.899
RMS7023-HSC	<ul style="list-style-type: none"> . 1 Auto-Sensing HD/SD-SDI and Analog Composite Input . 1 HD/SD-SDI Active Loop Through Output . Embedded Audio Support . Two Analog Audio Inputs . Two Analog Audio Loop Outs . 8 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Built-in Speaker . ANC Time Code, In Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker, Aspect Ratio and Blue Only Support . Waveform Monitor . Vectorscope 	\$2.459
	8.4" Size, 2 LCDS, 4RU Height, 4:3 Screen, 800x600 Resolution, 262K Colors	List Price (USD)
RMS8424-SC	<ul style="list-style-type: none"> . 1 Auto-Sensing SD-SDI and Analog Composite Input . 1 SD-SDI Active Loop Through Output . Embedded Audio Support . Two Channel Analog Audio Inputs . Two Channel Analog Audio Loop Outs . 4 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Built-in Speaker . ANC Time Code, in Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe Marker and Blue Only Support . Waveform Monitor . Vectorscope 	\$2.599
RMS8424-HSC	<ul style="list-style-type: none"> . 1 Auto-Sensing HD/SD-SDI and Analog Composite Input . 1 HD/SD-SDI Active Loop Through Output . Embedded Audio Support . Two Channels Analog Audio Inputs . Two Channels Analog Audio Loop Outs . 8 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Built-in Speaker . ANC Time Code, In Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker, Aspect Ratio and Blue Only Support . Waveform Monitor . Vectorscope 	\$3.199

	9.0" Size, 2 LCDS, 4RU Height, 16:9 Screen, 800x480 Resolution, 262K Colors	List Price (USD)
RMS9024-SC	<ul style="list-style-type: none"> . 1 Auto-Sensing SD-SDI and Analog Composite Input . 1 SD-SDI Active Loop Through Output . Embedded Audio Support . Two Channel Analog Audio Inputs . Two Channel Analog Audio Loop Outs . 4 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Built-in Speaker . ANC Time Code, in Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker and Blue Only Support . Waveform Monitor . Vectorscope 	\$2.249
RMS9024-HSC	<ul style="list-style-type: none"> . 1 Auto-Sensing HD/SD-SDI and Analog Composite Input . 1 HD/SD-SDI Active Loop Through Output . Embedded Audio Support . Two Channel Analog Audio Inputs . Two Channel Analog Audio Loop Outs . 8 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Built-in Speaker . ANC Time Code, In Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker, Aspect Ratio and Blue Only Support . Waveform Monitor . Vectorscope 	\$2.889
RMD Series Dual-Interface LCD Racks		
	4.3" Size, 4 LCDS, 2RU Height, 16:9 Screen, 480x270 Resolution, 16.7M Colors	List Price (USD)
RMD4342-V	<ul style="list-style-type: none"> . 2 Analog Composite Input . In Monitor UMD and Tri-color Tally Display . Under Scan, Safe Marker and Blue Only Support 	\$1.599
RMD4342-SC	<ul style="list-style-type: none"> . 2 Auto-Sensing SD-SDI and Analog Composite Input . Embedded Audio Support . 4 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . ANC Time Code, in Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker and Blue Only Support . Waveform Monitor . Vectorscope 	\$2.339
RMD4342-HSC	<ul style="list-style-type: none"> . 2 Auto-Sensing HD/SD-SDI and Analog Composite Input . Embedded Audio Support . 8 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . ANC Time Code, In Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker, Aspect Ratio and Blue Only Support . Waveform Monitor . Vectorscope 	\$3.079
	5.7" Size, 3 LCDS, 3RU Height, 4:3 Screen, 640x480 Resolution, 16.2M Colors	List Price (USD)
RMD5733-V	<ul style="list-style-type: none"> . 2 Analog Composite Inputs . 4 Analog Audio Inputs . In Monitor UMD and Tri-color Tally Display . Under Scan, Safe Marker and Blue Only Support 	\$1.999
RMD5733-SC	<ul style="list-style-type: none"> . 2 Auto-Sensing SD-SDI and Analog Composite Input . Embedded Audio Support . 4 Channel Analog Audio Inputs . 4 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Built-in Speaker . ANC Time Code, in Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe Marker and Blue Only Support . Waveform Monitor . Vectorscope 	\$2.749
RMD5733-HSC	<ul style="list-style-type: none"> . 2 Auto-Sensing HD/SD-SDI and Analog Composite Input . Embedded Audio Support . 4 Channel Analog Audio Inputs . 8 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Built-in Speaker . ANC Time Code, In Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker, Aspect Ratio and Blue Only Support . Waveform Monitor . Vectorscope 	\$3.399

	7.0" Size, 2 LCDS, 3RU Height, 15:9 Screen, 800x480 Resolution, 16.7M Colors	List Price (USD)
RMD7023-V	<ul style="list-style-type: none"> . 2 Analog Composite Inputs . 4 Channel Analog Audio Inputs . In Monitor UMD and Tri-color Tally Display . Under Scan, Safe Marker and Blue Only 	\$1.599
RMD7023-SC	<ul style="list-style-type: none"> . 2 Auto-Sensing SD-SDI and Analog Composite Input . Embedded Audio Support . 4 Channel Analog Audio Inputs . 4 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Built-in Speaker . ANC Time Code, in Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker and Blue Only Support . Waveform Monitor . Vectorscope 	\$2.099
RMD7023-HSC	<ul style="list-style-type: none"> . 2 Auto-Sensing HD/SD-SDI and Analog Composite Input . Embedded Audio Support . 4 Channel Analog Audio Inputs . 8 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Built-in Speaker . ANC Time Code, In Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker, Aspect Ratio and Blue Only Support . Waveform Monitor . Vectorscope 	\$2.669
	8.4" Size, 2 LCDS, 4RU Height, 4:3 Screen, 800x600 Resolution, 16.2M Colors	List Price (USD)
RMD8424-V	<ul style="list-style-type: none"> . 2 Analog Composite Input . 4 Channel Analog Audio Inputs . In Monitor UMD and Tri-color Tally Display . Under Scan, Safe Marker and Blue Only 	\$2.209
RMD8424-SC	<ul style="list-style-type: none"> . 2 Auto-Sensing SD-SDI and Analog Composite Input . Embedded Audio Support . 4 Channel Analog Audio Inputs . 4 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Built-in Speaker . ANC Time Code, in Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe Marker and Blue Only Support . Waveform Monitor . Vectorscope 	\$2.689
RMD8424-HSC	<ul style="list-style-type: none"> . 2 Auto-Sensing HD/SD-SDI and Analog Composite Input . Embedded Audio Support . 8 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Built-in Speaker . ANC Time Code, In Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker, Aspect Ratio and Blue Only Support 	\$3.349
	9.0" Size, 2 LCDS, 4RU Height, 16:9 Screen, 800x480 Resolution, 16.2M Colors	List Price (USD)
RMD9024-V	<ul style="list-style-type: none"> . 2 Analog Composite Input . In Monitor UMD and Tri-color Tally Display . Under Scan, Safe Marker and Blue Only 	\$1.999
RMD9024-SC	<ul style="list-style-type: none"> . 2 Auto-Sensing SD-SDI and Analog Composite Input . Embedded Audio Support . 4 Channels Analog Audio Inputs . 4 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Built-in Speaker . ANC Time Code, in Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker and Blue Only Support . Waveform Monitor . Vectorscope 	\$2.399
RMD9024-HSC	<ul style="list-style-type: none"> . 2 Auto-Sensing HD/SD-SDI and Analog Composite Input . Embedded Audio Support . 4 Channel Analog Audio Inputs . 8 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Built-in Speaker . ANC Time Code, In Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker, Aspect Ratio and Blue Only Support . Waveform Monitor . Vectorscope 	\$3.169

LMD Series Dual-Interface LCD Monitors		
	8.4" Size, 1 LCDS, 4RU Height, 4:3 Screen, 800x600 Resolution, 16.2M Colors	List Price (USD)
LMD8414-V	<ul style="list-style-type: none"> . 2 Analog Composite Input . 4 Analog Audio Inputs . 4 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Built-in Speaker . In Monitor UMD and Tri-color Tally Display . Under Scan, Safe Marker and Blue Only Support 	\$1.339
LMD8414-SC	<ul style="list-style-type: none"> . 2 Auto-Sensing SD-SDI and Analog Composite Input . Embedded Audio Support . 4 Analog Audio Inputs . 4 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Built-in Speaker . ANC Time Code, in Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker and Blue Only Support . Waveform Monitor . Vectorscope 	\$1.619
LMD8414-HSC	<ul style="list-style-type: none"> . 2 Auto-Sensing HD/SD-SDI and Analog Composite Input . Embedded Audio Support . 4 Analog Audio Inputs . 8 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring via Headphone Jack . Built-in Speaker . ANC Time Code, In Monitor UMD and Tri-color Tally Display . H/V Delay, Under Scan, Safe & Area Marker, Aspect Ratio and Blue Only Support . Waveform Monitor . Vectorscope 	\$1.999
LMD8414-A-BM-V	LMD8414 battery mounter: V-lock plate	\$149
9.0" Size, 1 LCDS, 4RU Height, 16:9 Screen, 800x480 Resolution, 16.2M Colors		
LMD9014-V	The same as LMD8414-V	\$1.029
LMD9014-SC	The same as LMD8414-SC	\$1.329
LMD9014-HSC	The same as LMD8414-HSC	\$1.729
LMD9014--A-BM-V	LMD9014 battery mounter: V-lock plate	\$149
LM/LMW Series 4:3/Wide-Screen Multi-Interface LCD Monitors		
	15" Size, 4:3 Screen, 1024X768 Resolution, 16.7M Colors	List Price (USD)
LM-150V	<ul style="list-style-type: none"> . 1 Composite Input, 1 Composite/S-Video/Component SD Input . 4 Analog Audio Inputs . 8 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring . Built-in Speaker . In Monitor UMD and Tri-color Tally Display . Under Scan, Safe Marker and Blue Only Support 	\$959
LM-150S	<ul style="list-style-type: none"> . 2 SD-SDI Inputs . 1 SD-SDI Active Loop Through Output . 1 Composite Input, 1 Composite/S-Video/Component SD Input . 1 VGA/DVI-D Input . 4 Analog Audio Inputs . Up to 16 channel embedded AES/EBU inputs . 4 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring . Built-in Speaker . In Monitor UMD and Tri-color Tally Display . Under Scan, Safe Marker and Blue Only Support 	\$1.219
LM150-A-STS	Swivel Table Stand for LM-150V and LM-150S	\$149
LM150-A-MB	Mounting Bracket for LM-150V and LM-150S	\$149
Note: 1) to tailor different applications, there are two types of 15" monitors provided 2) when only one accessory required it can be shipped free.	LM-150V-Z & LM-150S-Z: a good upward viewing angle but comparatively a bad downward viewing angle, so suitable for desktop type	
	LM-150V-D & LM-150S-D: a good downward viewing angle but comparatively a bad upward viewing angle, so suitable for rackmount and video wall.	

	17.1"Size, 7U, 16:10, 1920x1200 resolution,16.2 M colors.	List Price (USD)
LMW-170H	<ul style="list-style-type: none"> . 2 HD-SDI Inputs . 1 HD-SDI Active Loop Through Output . 1 Composite Input, 1 Composite/S-Video/Component(HD/SD) Input . 1 VGA/DVI-D/HDMI Input . 4 Analog Audio Inputs . Up to 16 channel embedded AES/EBU inputs . 8 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring . Built-in Speaker . In Monitor UMD and Tri-color Tally Display . Under Scan, Safe Marker and Blue Only Support . Waveform Monitor . Vectorscope 	\$2.249
LMW-170S	<ul style="list-style-type: none"> . 2 SD-SDI Inputs . 1 SD-SDI Active Loop Through Output . 1 Composite Input, 1 Composite/S-Video/Component(SD) Input . 1 VGA/DVI-D/HDMI Input . 4 Analog Audio Inputs . Up to 16 channel embedded AES/EBU inputs . 4 Channel Audio Meters (VU & PPM) . In Monitor UMD and Tri-color Tally Display . Under Scan, Safe Marker and Blue Only Support . Waveform Monitor . Vectorscope 	\$2.049
LMW-170V	<ul style="list-style-type: none"> . 1 Composite Input, 1 Composite/S-Video/Component (HD/SD) Input . 1 VGA/DVI-D/HDMI Input . 4 Analog Audio Inputs . 8 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring . Built-in Speaker . In Monitor UMD and Tri-color Tally Display . Under Scan Safe Marker and Blue Only Support 	\$1.475
	16.84"Size, 7U, 1366x768 resolution,16.7 M colors; 178 degrees vertical and horizontal viewing angle	List Price (USD)
LMW-171H	<ul style="list-style-type: none"> . 2 HD-SDI Inputs . 1 HD-SDI Active Loop Through Output . 1 Composite Input, 1 Composite/S-Video/Component(HD/SD) Input . 1 VGA/DVI-D/HDMI Input . 4 Analog Audio Inputs . Up to 16 channel embedded AES/EBU inputs . 8 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring . Built-in Speaker . In Monitor UMD and Tri-color Tally Display . Under Scan, Safe Marker and Blue Only Support . Waveform Monitor . Vectorscope 	\$2.389
LMW-171S	<ul style="list-style-type: none"> . 2 SD-SDI Inputs . 1 SD-SDI Active Loop Through Output . 1 Composite Input, 1 Composite/S-Video/Component(SD) Input . 1 VGA/DVI-D/HDMI Input . 4 Analog Audio Inputs . Up to 16 channel embedded AES/EBU inputs . 4 Channel Audio Meters (VU & PPM) . In Monitor UMD and Tri-color Tally Display . Under Scan, Safe Marker and Blue Only Support . Waveform Monitor . Vectorscope 	\$2.129
LMW-171V	<ul style="list-style-type: none"> . 1 Composite Input, 1 Composite/S-Video/Component (HD/SD) Input . 1 VGA/DVI-D/HDMI Input . 4 Analog Audio Inputs . 8 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring . Built-in Speaker . In Monitor UMD and Tri-color Tally Display . Under Scan Safe Marker and Blue Only Support 	\$1.529
Accessories for LMW-171: when only one accessory required (table stand or rackmount ear), it can be shipped free.	LMW171-A-STs : Swivel Table Stand for LMW-171	\$89
	LMW171-A-MB : Mounting Bracket for LMW-171	\$89
	LMW171-A-BM : Battery Mounter for LMW-171	\$89

	20.1" Size, 16:9 Screen, 1680X1050 Resolution, 16.7M Colors	List Price (USD)
LMW-201H	<ul style="list-style-type: none"> . 2 HD/SD-SDI Inputs . 1 HD/SD-SDI Active Loop Through Output . 1 Composite Input, 1 Composite/S-Video/Component(HD/SD) Input . 1 VGA/DVI-D/HDMI Input . 2 Analog Audio Inputs . 1 AES/EBU Input . 8 Channel Audio Meters (VU & PPM) . 1 Pair Audio Monitoring . Built-in Speaker . In Monitor UMD and Tri-color Tally Display . Under Scan, Safe Marker and Blue Only Support . Waveform Monitor . Vectorscope 	\$3.269
LMW-201S	<ul style="list-style-type: none"> 2 SD-SDI Inputs 1 SD-SDI Active Loop Through Output 1 Composite Input, 1 Composite/S-Video/component (HD/SD) Input 1 VGA/DVI-D/HDMI Input 2 Analog Audio Inputs 1 AES/EBU Input 4 Channel Aduio Meters (VU & PPM) 1 Pair Audio monitoring Built-in Speaker In Monitor UMD and Tri-Color Tally Display Under Scan, Safe Marker and Blue Only Support Waveform Monitor Vectorscope 	\$2.969

Multi-Image Display Processor

	HMV160 Series	List Price (USD)
HMV160-FR1	The 1RU main processor of HMV160 can house up to 4 modules, dual power supply and air cooling system.	2.352,00
HMV160-FR3	The 3RU main processor of HMV160 can house up to 16 modules, dual power supply and air cooling system	4.706,00
HD Version		
HMV160-I4A8G8	4Ch autosensing inputs on 3Gbps/HD/SD/Composite, 8 Stereo audio input and 8 GPI/O.	3.529,00
HMV160-I4AOG16T	4Ch autosensing inputs on 3Gbps/HD/SD/Composite, 1 Stereo audio output and 16 GPI/O, 1 LTC input, 1 RS422 port supporting UMD and TALLY of TSL & IMAGE VIDEO's protocol.	3.382,00
HMV160-I401E	4Ch autosensing inputs on 3Gbps/HD/SD/Composite, 1Ch DVI output (or HDMI output); 1Ch VGA output, dual discrete video outputs;	3.970,00
HMV160-I4O2E	4Ch autosensing inputs on 3Gbps/HD/SD/Composite, 2Ch DVI outputs (or HDMI) outputs, dual discrete video outputs.	3.970,00
HMV160-I4D	4Ch HDMI input module, competitable with DVI-D (requires DVI-D to HDMI converter option)	3.484,00
SD Version		
HMV160-S4A8G8	4Ch autosensing inputs on SD/Composite, 8 Stereo audio input and 8 GPI/O.	2.753,00
HMV160-S4AOG16T	4Ch autosensing inputs on SD/Composite, 1 Stereo audio output and 16 GPI/O, 1 LTC input, 1 RS422 port supporting UMD and TALLY of TSL & IMAGE VIDEO's protocol.	2.647,00
HMV160-S4O1E	4Ch autosensing inputs on SD/Composite, 1Ch DVI output (or HDMI output); 1Ch VGA output, dual discrete video outputs;	3.088,00
HMV160-S4O2E	4Ch autosensing inputs on 3Gbps/HD/SD/Composite, 2Ch DVI outputs (or HDMI) outputs, dual discrete video outputs.	3.088,00
Option		
HMV160-CP	Remote Control Panel for HMV160	1.176,00
HMV160-PS1	Power supply for HMV160-FR1	602,00
HMV160-PS3	Power supply for HMV160-FR3	722,00
HMV160-AII	Audio interface option, DB26 pin, to connect HMV160-I4A8G8 (HMV160-S4A8G8), 8 stereo audio input and 8 GPI/O.	226,00
HMV160-AIO	Audio interface option, DB26 pin, to connect HMV160-I4AOG16T (HMV160-S4AOG16T), 1 stereo audio input and 16 GPI/O, 1 LTC input, 1 RS422 port .	226,00

Price List 2011

6800N Series Modular Interface		
	Chassis & Accessories	List Price (USD)
6800N-C2	6800N Series chassis, 19", 2RU, 20 slots. Can house up to 20 modules, each occupying one single slot or 10 modules, each occupying two slots,The chassis support 2 PSU . (Please Note:The chassis doesn't include power supply,and it's separate sale)	471,00
6800N-P2	Power supply for 6800N-C2	191,00
6800N-C1	6800N Series chassis, 19", 1RU, 8 slots. Can house up to 8 modules, each occupying one single slot or 4 modules, each occupying two slots,The chassis support 2 PSU . (Please Note:The chassis doesn't include power supply,and it's separate sale)	441,00
6800N-P1	Power supply for 6800N-C1	88,00
Network Control & Software		
6800N-PC	6800N control module supporting PC interface and supplying the power to the front panel	176,00
6800N-FC	6800N control module, supporting SNMP , RS232 , ONET(Osee Control Network)	1.014,00
6800N-ICS	6800N integrated network management/control software, supporting SNMP	1.912,00
Module for Distribution & Monitoring		
VDA6801N	Analog video distribution amplifier , 1x8	118,00
VDA6802N	Analog video distribution amplifier , 2-1x4	129,00
VEA6801N	Analog video distribution amplifier with cable equalization , 1x8	132,00
VEA6802N	Analog video distribution amplifier with cable equalization , 2-1x4	159,00
VCA6801N	Analog video distribution amplifier with equalization and clamping , 1x8	159,00
VCA6802N	Analog video distribution amplifier with equalization and clamping , 2-1x4	188,00
ADA6801N	Analog audio distribution amplifier, balanced,1x8 ,	118,00
ADA6802N	Analog audio distribution amplifier , balanced, 2-1x4	129,00
SDA6801N	SD-SDI video distribution amplifier with equalization , 1x8	191,00
SDA6802N	SD-SDI video distribution amplifier with equalization , 2-1x4	250,00
SRA6801N	SD-SDI video distribution amplifier with reclocking and equalization , 1x8	294,00
SRA6802N	SD-SDI video distribution amplifier with reclocking and equalization , 2-1x4	412,00
SDA6801N-ASI	SD-SDI/ASI video distribution amplifier with equalization, 1x4, taking one single slot	191,00
SRA6801N-ASI	SD-SDI/ASI video distribution amplifier with reclocking & equalization, 1x4, taking one single slot	294,00
SDM6801N	SD-SDI distribution amplifier, with 4 (6) reclocked SD-SDI and 4 (2) analog composite video output	471,00
SDM6801N-M4	SD-SDI distribution amplifier with 4 (6) reclocked SD-SDI and 4 (2) analog composite video output overlaid with 4-channelVU/PPM	809,00
SDM6803N	SD-SDI distribution amplifier with CVBS monitoring. 3 SD-SDI inputs, each input corresponds to one reclocked SD-SDI and one analog composite video output.	956,00
SDM6803N-M4	SD-SDI distribution amplifier for monitoring, 3 SD-SDI inputs, each input corresponds to one reclocked SD-SDI and one analog composite video output overlaid 4-channel VU/PPM	1.250,00
BDA6801N	AES/EBU audio distribution amplifier, 1x8, with equalization & balanced interface	176,00
UDA6801N	AES/EBU audio distribution amplifier, 1x8, with equalization & unbalanced interface	176,00
HDA6801N	HD-SDI video distribution amplifier, 1x8, with equalization	574,00
HRA6801N	HD-SDI video distribution amplifier, 1x8, with equalization and reclocking	868,00

	Embedders and De-Embedders	List Price (USD)
SMX6810N	Analog audio embedder. 1 SD-SDI input, 4 analog audio inputs; 4 SD-SDI outputs ;1 composite output (can be set via jumper).	1.015,00
SMX6810NS	Analog audio embedder. 1 SD-SDI input, 4 analog audio inputs; 4 SD-SDI outputs at maximum; 1 composite output;in addition it's with audio tracking (can be set via jumper).	1.309,00
SMX6810N-B2	Analog audio embedder and Analog audio to balanced AES Converter. 1 SD-SDI input, 4 analog audio inputs, 2 SD-SDI outputs , 1 analog composite video output for monitoring (can be set via jumper), 2 pairs balanced digital audio outputs.	1.162,00
SMX6810NS-B2	Analog audio embedder and Analog audio to balanced AES Converter . 1 SD-SDI input, 4 analog audio inputs, 2 SD-SDI outputs at maximum, 1 analog composite vide output for monitoring (can be set via jumper), 2 pairs balanced digital audio outputs ,in addition it's with audio tracking.	1.456,00
SMX6810N-U2	Analog audio embedder and Analog audio to unbalanced AES Converter. 1 SD-SDI input, 4 analog audio inputs, 2 SD-SDI outputs at maximum, 1 analog composite video output for monitoring (can be set via jumper), 2 pairs unbalanced digital audio outputs.	1.162,00
SMX6810NS-U2	Analog audio embedder and audio analog to unbalanced AES converter. 1 SD-SDI input, 4 analog audio inputs, 1 SD-SDI output, 1 analog composite vide output for monitoring, 2 pairs unbalanced digital audio outputs , in addition it's with audio tracking.	1.456,00
SMX6811N	2 Pairs unbalanced AES/EBU audio embedder providing analog video monitoring function, 1 SD-SDI input and 2 pairs unbalanced AES inputs; 4 SD-SDI outputs at maximum; 2 pairs unbalanced AES outputs; 1 analog composite output (can be set via jumper)	1.088,00
SMX6811NS	2 Pair unbalanced AES/EBU audio embedder providing analog video monitoring function.1 SD-SDI input and 2 pair unbalanced AES inputs; 4 SD-SDI outputs at maximum; 2 pairs unbalanced AES outputs; 1 analog composite output (can be set via jumper); in addition it's with audio tracking.	1.382,00
SMX6811N8	4 pairs unbalanced AES/EBU audio embedder providing analog video monitoring function, 1 SD-SDI input and 4 pairs unbalanced AES inputs; 4 SD-SDI outputs at maximum;1 analog composite output for monitoring (can be set via jumper).	1.162,00
SMX6811NS8	4 Pairs unbalanced AES/EBU audio embedder providing analog video monitoring function, 1 SD-SDI input and 4 pairs unbalanced AES inputs; 4 SD-SDI outputs at maximum;1 analog composite output for monitoring . in addition it's with audio tracking.(can be set via jumper)	1.456,00
SMX6812N	2 Pairs balanced AES/EBU audio embedder providing analog video monitoring function, 1 SD-SDI input and 2 pairs balanced AES inputs; 4 SD-SDI outputs at maximum; 2 pairs balanced AES outputs; 1 analog composite output (can be set via jumper).	1.088,00
SMX6812NS	2 Pairs balanced AES/EBU audio embedder and analog video monitor, 1 SD-SDI input and 2 pair balanced AES inputs; 4 SD-SDI outputs at maximum; 2 pairs balanced AES outputs; 1 analog composite output (can be set via jumper); in addition it's with audio tracking.	1.382,00
SMX6812N8	4 Pairs balanced AES/EBU audio embedder providing analog video monitoring function. 1 SD-SDI input and 4 pairs balanced AES inputs; 4 SD-SDI outputs at maximum;1 analog composite output for monitoring (can be set via jumper).	1.162,00
SMX6812NS8	4 Pairs balanced AES/EBU audio embedder providing analog video monitoring function.1 SD-SDI input and 4 pairs balanced AES inputs; 4 SD-SDI outputs at maximum;1 analog composite output for monitoring (can be set via jumper). in addition it's with audio tracking.	1.456,00
SDX6810N	4 Analog audio de-embedder providing analog video monitoring function. 1 SD-SDI input; 4 SD-SDI outputs at maximum; 1 composite output (can be set via jumper); 4 analog audio outputs.	1.015,00
SDX6811N	2 Pairs unbalanced AES de-embedder providing analog video monitoring function. 1 SD-SDI input; 4 SD-SDI outputs at maximum; 1 composite output (can be set via jumper); 2 pairs unbalanced AES outputs.	1.088,00
SDX6811N8	4 Pairs unbalanced AES de-embedder providing analog video monitoring function. 1 SD-SDI input; 4 SD-SDI outputs at maximum; 1 composite output (can be set via jumper); 4 pairs unbalanced AES outputs.	1.162,00
SDX6811N-A4	2 Pairs unbalanced AES and 4 analog audio de-embedder providing analog video monitoring function. 1 SD-SDI input; 2 SD-SDI outputs at maximum; 1 composite output (can be set via jumper); 2 pairs unbalanced AES outputs; 4 analog audio outputs.	1.309,00
SDX6812N	2 Pairs balanced AES de-embedder providing analog video monitoring function. 1 SD-SDI input; 4 SD-SDI outputs at maximum; 1 composite output (can be set via jumper); 2 pairs balanced AES outputs.	1.309,00
SDX6812N8	4 Pairs balanced AES de-embedder providing analog video monitoring function. 1 SD-SDI input; 4 SD-SDI outputs at maximum; 1 composite output (can be set via jumper); 4 pairs balanced AES outputs.	1.456,00
SDX6812N-A4	2 Pairs balanced AES and 4 analog audio de-embedder providing analog video monitoring function, 1 SD-SDI input; 2 SD-SDI outputs at maximum; 1 composite output (can be set via jumper); 2 pairs balanced AES outputs; 4 analog audio outputs.	1.309,00
VAM6800	Analog composite to SD-SDI converter and audio embedder with broadcast quality. 1 analog composite and 2 analog audio inputs. 3 embedded SD-SDI outputs	1.397,00
VAM6800S	Analog composite to SD-SDI converter and audio embedder with broadcast quality. 1 analog composite and 2 analog audio inputs. 3 embedded SD-SDI outputs. In addition, it is with frame synchronization	1.471,00
DMA6800	SD-SDI to analog composite video converter and analog audio de-embedder.1 SD-SDI input, 3 analog composite video and 1 SD-SDI,or 2 analog composite video and 2 SD-SDI(the video output has be to set before shipment) output and 2 analog audio outputs.	1.397,00

		List Price (USD)
	Module for Video Conversion	
DEC6800N	PAL/NTSC to 10-bit SD-SD converter , 1 composite video input, 4 SD-SDI outputs,1 composite active loop through output	956,00
DES6800N	PAL/NTSC to 10-bit SD-SD converter with frame synchronization , 1 composite video input,1 reference input. 4 SD-SDI outputs,1 composite reference loop through output.	1.162,00
ENC6800	10-bit SD-SDI to NTSC/PAL composite converter. 1 SD-SDI input,2 SD-SDI outputs , 4 analog composite outputs. Or 1 analog composite and one analog component output (This has to be set via software).	956,00
ENS6800	10-bit SD-SDI to NTSC/PAL, composite converter with frame synchronization.1 SD-SDI input,1 reference input, 2 SD-SDI outputs , 4 analog composite outputs.1 composite reference loop through output.	1.162,00
ADC6800N	10bit YUV converting to SDI	1.103,00
DAC6800N	10bit SDI converting to YUV	1.103,00
	Switch	
SAC6840N	SD-SDI/ASI video 2x1 Auto changeover, with CLEAN SWITCH	1.103,00
VAC6840N	Analog video 2x1 auto changeover. ONET interface	662,00
	Multi-Display and Monitoring	
STM6880N	SD-SDI video signal test and video/audio signal detector	1.250,00
SCM6880N	SD-SDI de-embedded audio monitor, 4 reclocked SD-SDI outputs at maximum;4 analog audio outputs plus 4 analog composite outputs at maximum.	872,00
SCM6881N	SD-SDI de-embedded audio monitor, 1 SD-SDI input and 2 unbalanced AES/EBU inputs, 4 reclocked SD-SDI outputs at maximum (2 can be set CVBS); 4 analog audio outputs plus 4 analog composite outputs at maximum, OSD menu	1.162,00
SCM6882N	SD-SDI de-embedded audio monitor, 1 SD-SDI input and 2 balanced AES/EBU inputs, 4 reclocked SD-SDI outputs at maximum (2 can be set CVBS); 4 analog audio outputs plus 4 analog composite outputs at maximum, OSD menu	1.162,00
	Synchronizer and Testing Signal Generator	
SRG6850N	SD-SDI and analog black field/testing signal generator, with external synchronizer, phase adjustable. 2 SD-SDI outputs (or it can be set for 2 composite outputs via jumper); 6 analog outputs and one DARS output.	868,00
VRG6850N	Analog black field/testing signal generator, with external synchronizer, phase adjustable. 8 analog outputs	471,00
	Synchronizer	
SFS6860N	10-Bit SD-SDI frame synchronizer 1 SD-SDI input ,1 composite reference input,1 DATA O ,2 GPI control port1. 4 SD-SDI outputs;phase adjustable;composite analog video monitoring .	1.015,00
HFS6860N	HD-SDI frame synchronizer, 4 HD-SDI outputs, phase adjustable, analog video output for monitoring, with 4 audio meter and OSD menu	1.750,00
	Audio Conversion	
DAC6820N	AES/EBU to analog audio converter, 1 pair balanced or unbalanced input; 2 analog audio outputs.	426,00
DAC6820N4	AES/EBU to analog audio converter. 2 pairs balanced or unbalanced inputs; 4 analog audio outputs.	721,00
ADC6820N	Analog audio to AES/EBU converter. 2 analog audio inputs; 2 pairs same balanced and 2 pairs same unbalanced AES/EBU output.	426,00
ADC6820NS	Analog audio to AES/EBU converter. 2 analog audio inputs; 2 pairs same balanced and 2 pairs same unbalanced AES/EBU output . In addition, it's with audio tracking.	868,00
ADC6820N4	Analog audio to AES/EBU converter. 4 analog audio inputs; 2 pairs balanced and 2 pairs unbalanced AES/EBU outputs.	721,00
ADC6820NS4	Analog audio to AES/EBU converter. 4 analog audio inputs and one DARS input; 2 pairs balanced and 2 pairs unbalanced AES/EBU outputs. In addition, it's with audio synchronization.	1.162,00
	HD Conversion	
HDC6831N	HD/SD-SDI de-embedder/down converter, with monitoring,supporting 4Ch audio meter monitoring, OSD display. 2 HD/SD-SDI active loop through output, 2 CVBS outputs,2 pairs AES/EBU and 4 analog audio outputs ,converter with 4 pairs un-balanced AES audio embed and 4 pairs AES outputs.	1.730,00

Note: All the 6800N Modules Support audio meter monitoring, OSD display

Price List 2011

Audio Processor		List Price (USD)
EAP70D-AGC	Local panel attached, embedded audio is adjustable. Both auto gain and manual gain are allowed. Dual PSU, relay bypass. One embedded SDI input, two SDI outputs (one is protected by relay bypass), one analog video output, two analog audio outputs. One RS486.	4.235,00
EAP70D-MNL	Local panel attached. Manual adjustment on 4Ch audio of one audio group. Dual PSU, relay bypass. One embedded SDI input, two SDI outputs (one is protected by relay bypass), one analog video input, two analog audio outputs. One RS486.	2.765,00
RCP-70D	Remote control panel with two VU/PPM display (any pair out of one group audio can be selected) as well as gain display. Support independent manual adjustment on 4Ch audio. Audio monitoring and headphone jack available. Two analog audio inputs and one RS485.	853,00
EAP70HD-AGC	1RU, HD/SD-SDI embedded audio is adjustable by auto gain or manual gain. Dual PSU, relay bypass. One embedded SDI input, two SDI outputs (one is protected by relay bypass), one analog video output, two analog audio outputs. One RS486.	5.853,00
Audio Monitoring System		List Price (USD)
AMS160-A2	Analog audio monitoring system. Two analog audio monitoring with two VU/PPM display. Audio monitoring and headphone jack available.	1.147,00
AMS160-D2	SDI audio monitoring system. Two SDI inputs, select any channel to de-embed and monitor. Two VU/PPM display. Audio monitoring and Headphone jack available.	2.574,00
AMS160-DA2	SDI/Analog audio monitoring system. Two SDI inputs, two analog audio inputs. Select any channel of SDI audio to de-embed and monitor, or select any analog audio to monitor. Two VU/PPM display, audio monitoring and headphone jack available.	2.868,00
AMS160H	1RU, HD/SD-SDI embedded audio, balanced/unbalanced AES, analog audio monitoring system. 2 SDI inputs, 1 balanced AES input, 1 unbalanced AES input, 2 analog audio inputs, balanced/unbalanced AES audio and analog audio monitoring outputs, with 2 VU/PPM display.	4.985,00

Delay Line

		List Price (USD)
DL240-SDI 20s	SDI video/audio delay line. One SDI video, four embedded audio, four analog audio or four AES/EBU audio. Dual PSU, relay bypass, output preview available (A/V). Built-in test signal, mute control. Signal can be delayed or can be protected by bypass. Signal monitoring, alarm and log file available. Signal monitoring including video loss, freeze frame, black field, embedded audio loss. audio too high or too low. Compatible with 525/625 standards.	7.941,00
DL240-SDI 40s		8.382,00
DL240-SDI 60s		8.824,00
DL240-SDI 80s		9.265,00
DL240-SDI 100s		9.706,00
DL240-SDI 120s		10.147,00
DL240-SDI2 20s	SDI emergency video & audio delay equipped with backup channel. 2 SDI video input, one main, the other backup. 2 embedded audio /2 analog audio respectively fro both main channel and backup channel. The backup channel is used for emergency switching. The main and backup channel support vertical interval switching, and has two analog audio outputs. The main channel befor and after delay supports analog video/audio monitoring. Dual redundant power supply, relay bypass to the main channel. The built-in test signal for emergency, mute control. The figure of 2 channels of audio can be adjusted (embedded audio included). Signal monitoring, alarming & logfile. Video loss, freeze frame, black field, EDH, embedded audio loss and abnormal signal monitoring. Record on alarm. The compatibility between 576i and 480i.	7.324,00
DL240-SDI2 40s		7.765,00
DL240-SDI2 60s		8.206,00
DL240-SDI2 80s		8.647,00
DL240-SDI2 100s		9.088,00
DL240-SDI2 120s		9.529,00
DL240-ASI 15s	ASI solid state delay line. Four analog audio. Dual PSU, relay bypass. Output preview, mute control. Adjustment on 4Ch audio volume. Signal monitoring	7.941,00
DL240-ASI 30s		8.382,00
DL240-ASI 45s		8.824,00
DL240-ASI 60s		9.265,00
DL240-ASI 75s		9.706,00
DL240-ASI 90s		10.147,00
DL240-AAU 20S	Analog audio delay. Four analog audio. Dual PSU, relay bypass, output preview, mute control. Signal can be delayed or can be protected by bypass. Adjustmenet on 4Ch of audio volume. Signal monitoring.	4.706,00
DL240-AAU 40S		5.147,00
DL240-AAU 60S		5.588,00
DL240-AAU 80S		6.029,00
DL240-AAU 100S		6.471,00
DL240-AAU 120S		6.912,00
DL240-ANA 20s	Analog audio delay. One analog video and four analog audio. Dual PSU, relay bypass. Output preview (A/V), built-in test signal, mute control. One SDI output and one analog output before delay. Signal monitoring including video loss, freeze frame, black field, embedded audio loss. audio too high or too low. Compatible with 525/625 standards.	6.735,00
DL240-ANA 40s		7.176,00
DL240-ANA 60s		7.618,00
DL240-ANA 80s		8.059,00
DL240-ANA 100s		8.500,00
DL240-ANA 120s		8.941,00

DL240-SDA 20s	Including all the functions that DL240-ANA and DL240-SDI can present. SDI or analog signal selectable.	9.382,00
DL240-SDA 40s		9.824,00
DL240-SDA 60s		10.265,00
DL240-SDA 80s		10.706,00
DL240-SDA 100s		11.147,00
DL240-SDA 120s		11.588,00
DL240-AES 20s	AES/EBU audio delay line. Four AES/EBU audio, dual PSU, relay bypass. Output preview, mute control. Signal can be either delayed or protected by bypass. Adjustment on 4Ch of audio volume. Signal monitoring	5.882,00
DL240-AES 40s		6.324,00
DL240-AES 60s		6.765,00
DL240-AES 80s		7.206,00
DL240-AES 100s		7.647,00
DL240-AES 120s		8.088,00

Chroma Keyer

		List Price (USD)
CK3000A	Component analog chroma keyer	5.882,00
CK3000D	SDI chroma keyer	14.706,00
CK3000DD	SDI chroma keyer, with 4 frames video delay	17.647,00
CK3000D-YUV	Component analog foreground input	1.471,00

SD-SDI System

	Logo Generator/Keyer	List Price (USD)
LG60DS	SDI still logo generator	2.794,00
LG60DM	SDI motion logo generator	3.088,00
LG60DSS	the function same as LG60DS, in addition with still sublogo	3.235,00
LG60DSM	the function same as LG60DS, in addition with motion sublogo	3.676,00
LG60DMS	the function same as LG60DM, in addition with still sublogo	3.676,00
LG60DMM	the function same as LG60DM, in addition with motion sublogo	3.971,00
DSK50Di	SDI PGM 1Ch Downstream keyer	3.015,00
DSK50DPi	SDI PGM/PST 1Ch downstream keyer	3.294,00
DSK50Dii	SDI PGM 2Ch downstream keyer, remote interface	4.706,00
DSK50DPii	SDI PGM/PST 2Ch Downstream Keyer, remote interface	5.235,00
RCP50D-3	3-Key remote control panel, designed to control downstream keyer without PST	368,00
RCP50D-5	5-key remote control panel, designed to control downstream keyer with PST	441,00
TPG31D	SD-SDI Test Signal Generator with 6 still images and 17 testing signals	1.765,00
	HD Logo Generator	List Price (USD)
LDC65HD-L	HD/SD logo generator with still/motion main and sub logo, digital colock, LTC, USB port for download, RS232	8.059,00
LDC65HD-K	HD/SD downstream keyer. 2Ch external key inputs, RS232.	8.794,00
LDC65HD-LK	HD/SD logo generator with built-in downstream keyer. 2Ch external key inputs, PGM/PST, RS232, USB port to download, LTC	13.206,00
LDC65SD-LK	SD-SDI logo generator with built-in downstream keyer. 2Ch external key inputs, PGM/PST, RS232, USB port to download logo, LTC	8.794,00
TPG31HD	HD/SD Test Pattern Generator, RS232, USB port to download logo, LTC	7.324,00
	Switch	List Price (USD)
SW120D-2X1	2x1 SDI/Analog switcher	662,00
RCP120-3	3-Button for General Purpose Control panel for SW120-2x1	368,00



Price List 2011

200 Modular Products

		List Price (USD)
200-C	17 Slot Frame, 3RU, with Single PSU	441,00
200-P	Redundant PSU, Occupy 3 Slots	265,00
VDA201	Analog Video DA, 1x6	132,00
VDA202	Analog Video DA, with EQ, 1x6	162,00
VDA203	Analog Video DA, with EQ & Clip, 1x6	206,00
VDA205	2Ch Analog Video DA, 2-1x3	162,00
ADA261	Analog Balanced Audio DA, 1x6	118,00
ADA265	2Ch Analog Balanced Audio DA, 2-1x3	147,00